

**CLAIMS**

What we claim is:

- 5           1.     A thin-film electrochemical cell structure, comprising:  
                   a cathode sheet layer comprising a series of discontinuous  
                   cathode sheets, each of the cathode sheets comprising:  
                                   a cathode layer; and  
                                   a current collector layer having a first surface  
 10           contacting a first surface of the cathode layer;  
                                   a gap defined between adjacent ones of the cathode  
                   sheets; and  
                                   a solid electrolyte layer contacting a second surface of the  
                   cathode layer and extending across the gaps defined between the  
 15           adjacent cathode sheets.
2.     The structure of claim 1, further comprising an electrical  
                   insulator layer contacting a second surface of the current collector layer.
- 20           3.     The structure of claim 2, wherein the electrical insulator  
                   layer extends across the gaps defined between the adjacent cathode  
                   sheets.
4.     The structure of claim 1, wherein the electrolyte layer  
 25           comprises a solid polymer electrolyte layer.
5.     The structure of claim 1, wherein the gap defined between  
                   adjacent cathode sheets ranges between about 0.015 inches and about  
                   0.4 inches.
- 30           6.     The structure of claim 1, wherein a width of the cathode  
                   sheets ranges between about 0.75 inches and about 24 inches.

7. The structure of claim 1, wherein a length of the cathode sheets ranges between about 0.25 inches and about 24 inches.

5 8. The structure of claim 1, wherein the solid electrolyte layer encompasses a perimeter of the cathode layer of each of the cathode sheets.

10 9. The structure of claim 1, wherein the solid electrolyte layer comprises a first edge and a second edge, and each of the cathode sheets comprises a first edge and a second edge, the first and second edges of the solid electrolyte layer extending beyond the first and second edges of each cathode sheet by between about 0.04 inches and about 0.31 inches.

15 10. The structure of claim 1, wherein the current collector layer comprises a first edge and a second edge, and the cathode layer comprises a first edge and a second edge, the first edge of the current collector layer extending beyond the first edge of the cathode layer.

20 11. The structure of claim 10, wherein the first edge of the current collector layer extends beyond the first edge of the cathode layer by between about 0.08 inches and about 0.51 inches.

25 12. The structure of claim 10, wherein the second edge of the current collector layer extends beyond the second edge of the cathode layer by between about 0.0 inches and about 0.315 inches.

30 13. The structure of claim 1, wherein the series of discontinuous cathode sheets is arranged in a plurality of rows to define a matrix of the discontinuous cathode sheets, and a gap defined between adjacent rows ranges between 0 inches and about 0.63 inches.

14. The structure of claim 1, wherein the solid electrolyte layer comprises a first edge, the current collector layer comprises a first edge, and the cathode layer comprises a first edge, the first edge of the current collector layer extending beyond both the first edge of the cathode layer and the first edge of the solid electrolyte layer.

15. The structure of claim 14, wherein the first edge of the current collector layer extends beyond the first edge of the solid electrolyte layer by between about 0.04 inches and about 0.35 inches.

16. The structure of claim 14, wherein the first edge of the solid electrolyte layer extends beyond the first edge of the cathode layer.

17. The structure of claim 14, wherein a second edge of the solid electrolyte layer extends beyond a second edge of the cathode and current collector layers, respectively.

18. The structure of claim 1, wherein the cathode layer comprises a cathode active material, an electrically conductive material, an ionically conducting polymer, and an electrolyte salt.

19. The structure of claim 1, wherein the cathode layer comprises a vanadium oxide material or a lithiated vanadium oxide material.

20. The structure of claim 1, wherein the cathode layer comprises a cathode active material selected from the group consisting of  $\text{LiCoO}_2$ ,  $\text{LiNiO}_2$ ,  $\text{LiMn}_2\text{O}_4$ ,  $\text{Li}[\text{M}(1-x)\text{Mn}_x]\text{O}_2$  where  $0 < x < 1$  and M represents one or more metal elements, polyacetylene, polypyrrole, polyaniline, polythiophene,  $\text{MoS}_2$ ,  $\text{MnO}_2$ ,  $\text{TiS}_2$ ,  $\text{NbSe}_3$ ,  $\text{CuCl}_2$ , a

fluorinated carbon,  $\text{Ag}_2\text{CrO}_4$ ,  $\text{FeS}_2$ ,  $\text{CuO}$ ,  $\text{Cu}_4\text{O}(\text{PO}_4)_2$ , sulfur, and polysulfide.

21. The structure of 1, wherein the solid electrolyte layer  
 5 comprises a random polyether copolymer of ethylene oxide and an ether  
 oxide selected from the group consisting of propylene oxide, butylene  
 oxide, and alkylglycidylether.

22. The structure of 1, wherein the solid electrolyte layer  
 10 comprises a crosslinked solid ionically conductive polymer comprising  
 urethane groups, urea groups, thiocarbamate groups, or combinations  
 thereof and inorganic particles.

23. The structure of claim 1, wherein the solid electrolyte layer  
 15 comprises a first surface and a second surface, the first surface of the  
 solid electrolyte layer contacting the second surface of the cathode layer,  
 the structure further comprising an anode layer contacting the second  
 surface of the solid electrolyte layer.

24. The structure of claim 23, wherein the anode layer  
 20 comprises lithium.

25. The structure of claim 23, further comprising an electrical  
 insulator layer contacting a second surface of the current collector layer.

26. A thin-film electrochemical cell structure, comprising:  
 a cathode sheet layer comprising a series of discontinuous  
 cathode sheets, each of the cathode sheets comprising:  
 a first cathode layer comprising a first surface and a  
 30 second surface;  
 a second cathode layer comprising a first surface  
 and a second surface; and

a current collector layer disposed between the respective first surfaces of the first and second cathode layers;

a gap defined between adjacent ones of the cathode sheets;

5 a first solid electrolyte layer contacting the second surface of the first cathode layer and extending across the gaps defined between the adjacent cathode sheets; and

a second solid electrolyte layer contacting the second surface of the second cathode layer and extending across the gaps defined between the adjacent cathode sheets.

27. The structure of claim 26, wherein the first and second electrolyte layers respectively comprise a solid polymer electrolyte layer.

15 28. The structure of claim 26, wherein the gap defined between adjacent cathode sheets ranges between about 0.015 inches and about 0.4 inches.

29. The structure of claim 26, wherein a width of the cathode sheets ranges between about 0.75 inches and about 24 inches.

30. The structure of claim 26, wherein a length of the cathode sheets ranges between about 0.25 inches and about 24 inches.

25 31. The structure of claim 26, wherein the first and second solid electrolyte layers respectively encompass a perimeter of the cathode layer of each of the cathode sheets.

30 32. The structure of claim 26, wherein the respective first and second solid electrolyte layers comprise a first edge and a second edge, and each of the cathode sheets comprises a first edge and a second edge, the first and second edges of the respective first and second solid

electrolyte layers extending beyond the first and second edges of each cathode sheet by between about 0.04 inches and about 0.31 inches.

33. The structure of claim 26, wherein the current collector layer comprises a first edge and a second edge, and the respective first and second cathode layers comprise a first edge and a second edge, the first edge of the current collector layer extending beyond the first edge of the respective first and second cathode layers.

34. The structure of claim 33, wherein the first edge of the current collector layer extends beyond the first edge of the respective first and second cathode layers by between about 0.08 inches and about 0.51 inches.

35. The structure of claim 33, wherein the second edge of the current collector layer extends beyond the second edge of the respective first and second cathode layers by between about 0.0 inches and about 0.315 inches.

36. The structure of claim 26, wherein the series of discontinuous cathode sheets is arranged in a plurality of rows to define a matrix of the discontinuous cathode sheets, and a gap defined between adjacent rows ranges between 0 inches and about 0.63 inches.

37. The structure of claim 26, wherein the respective first and second solid electrolyte layers comprise a first edge, the current collector layer comprises a first edge, and the respective first and second cathode layers comprise a first edge, the first edge of the current collector layer extending beyond both the first edge of the respective first and second cathode layers and the first edge of the respective first and second solid electrolyte layers.

38. The structure of claim 37, wherein the first edge of the current collector layer extends beyond the first edge of the respective first and second solid electrolyte layers by between about 0.04 inches and about 0.35 inches.

5

39. The structure of claim 37, wherein the first edge of the respective first and second solid electrolyte layers extends beyond the first edge of the respective first and second cathode layers.

10

40. The structure of claim 37, wherein a second edge of the respective first and second solid electrolyte layers extends beyond a respective second edge of the respective first and second cathode layers and current collector layers.

15

41. The structure of 26, wherein the respective first and second cathode layers comprise a cathode active material, an electrically conductive material, an ionically conducting polymer, and an electrolyte salt.

20

42. The structure of 26, wherein the respective first and second cathode layers comprise a vanadium oxide material or a lithiated vanadium oxide material.

25

43. The structure of 26, wherein the respective first and second cathode layers comprise a cathode active material selected from the group consisting of  $\text{LiCoO}_2$ ,  $\text{LiNiO}_2$ ,  $\text{LiMn}_2\text{O}_4$ ,  $\text{Li}[\text{M}(1-x)\text{Mnx}]\text{O}_2$  where  $0 < x < 1$  and M represents one or more metal elements, polyacetylene, polypyrrole, polyaniline, polythiophene,  $\text{MoS}_2$ ,  $\text{MnO}_2$ ,  $\text{TiS}_2$ ,  $\text{NbSe}_3$ ,  $\text{CuCl}_2$ , a fluorinated carbon,  $\text{Ag}_2\text{CrO}_4$ ,  $\text{FeS}_2$ ,  $\text{CuO}$ ,  $\text{Cu}_4\text{O}(\text{PO}_4)_2$ , sulfur, and polysulfide.

30

44. The structure of 26, wherein the respective first and second solid electrolyte layers comprise a random polyether copolymer of ethylene oxide and an ether oxide selected from the group consisting of propylene oxide, butylene oxide, and alkylglycidylether.

5

45. The structure of 26, wherein the respective first and second solid electrolyte layers comprise a crosslinked solid ionically conductive polymer comprising urethane groups, urea groups, thiocarbamate groups, or combinations thereof and inorganic particles.

10

46. The structure of claim 26, wherein the second solid electrolyte layer comprises a first surface and a second surface, the first surface of the solid electrolyte layer contacting the second surface of the second cathode layer, the structure further comprising an anode layer contacting the second surface of the second solid electrolyte layer.

15

47. The structure of claim 46, wherein the anode layer comprises lithium.

20

48. The structure of claim 46, further comprising a releasable separator layer contacting the second surface of the first electrolyte layer.

25

49. A method of producing a series of thin-film electrochemical cell structures, comprising:

cutting a web (cathode web), comprising a cathode layered structure, moving at a first speed into a series of cathode sheets;

moving a web (electrolyte web) of a solid electrolyte at a second speed equal to or greater than the first speed;

30

laminating each of the cathode sheets moving at the first speed with the electrolyte web moving at the second speed to produce a



first laminate structure having a space between adjacent cathode sheets;  
and

laminating a web (third web) of a material with the first  
laminate structure such that the cathode sheets are disposed between  
5 the electrolyte web and the third web.

50. The method of claim 49, wherein the material of the third  
web comprises a solid electrolyte.

10 51. The method of claim 49, wherein the material of the third  
web comprises an electrical insulator.

52. The method of claim 49, wherein cutting the cathode web  
comprises rotatably cutting the cathode web.

15 53. The method of claim 49, wherein laminating each of the  
cathode sheets comprises rotatably laminating each of the cathode  
sheets with the electrolyte web.

20 54. The method of claim 49, wherein laminating the third web  
of the material comprises rotatably laminating the third web of the  
material with the first laminate structure.

25 55. The method of claim 49, wherein cutting the cathode web  
comprises cutting a portion of the cathode web and removing excess  
cathode web.

30 56. The method of claim 55, wherein the space between  
adjacent cathode sheets is a function of one or both of a size and shape  
of the removed excess cathode web.

57. The method of claim 49, wherein each of the cathode sheets is defined by a length and cutting the cathode web comprises cutting the cathode web with a rotary die, the length of each cathode sheet being a function of the first speed of cathode web movement relative to the second speed of the rotary die.

58. The method of claim 49, wherein each of the cathode sheets is defined by a length and cutting the cathode web comprises cutting the cathode web with at least one rotating die blade separated by a circumferential blade spacing, the length of each cathode sheet being a function of the first speed of cathode web movement relative to the circumferential die blade spacing and the second speed of the rotating die blade.

59. The method of claim 49, wherein the space between adjacent cathode sheets is a function of the first speed of cathode web movement relative to the second speed of the electrolyte web.

60. The method of claim 49, wherein cutting the cathode web comprises cutting the cathode web with at least one rotating die blade separated by a circumferential blade spacing (D), further wherein the space (S) between adjacent cathode sheets is a function of the first speed (W1) of cathode web movement relative to the circumferential die blade spacing (D) and the second speed (W2) of the rotating die blade.

61. The method of claim 60, wherein the space (S) between adjacent cathode sheets is characterized by an equation  $S = D((W2/W1) - 1)$ .

62. The method of claim 49, wherein the space between adjacent cathode sheets ranges between about 0.015 inches and about 0.4 inches.

63. The method of claim 49, wherein laminating each of the cathode sheets with the electrolyte web further comprises laminating each of the cathode sheets with the electrolyte web such that a portion of a current collector of each cathode sheet extends beyond at least one edge of the electrolyte web.

64. The method of claim 63, wherein the portion of the current collector of each cathode sheet extends beyond the at least one edge of the electrolyte web by between about 0.04 inches and about 0.35 inches.

65. The method of claim 49, wherein the cathode web comprises a plurality of down-web directed rows of the cathode layered structure, and cutting the cathode web comprises cutting the cathode web in a cross-web direction to produce a matrix of the cathode sheets.

66. The method of claim 49, the method further comprising laminating a web (lithium web) of lithium material with the electrolyte web.

67. The method of claim 66, further comprising cutting through the lithium web, third web, and electrolyte web at respective locations in alignment with the space between adjacent cathode sheets.

68. The method of claim 67, wherein cutting through the respective lithium, third, and electrolyte webs comprises rotatably cutting through the respective lithium, third, and electrolyte webs.

69. The method of claim 67, wherein the electrolyte web comprises a carrier web, further wherein cutting through the respective lithium, third, and electrolyte webs comprises rotatably cutting through

the respective lithium, third, and electrolyte webs but not cutting entirely through the carrier web.

70. An apparatus for producing a series of thin-film

electrochemical cell structures, comprising:

a first feed station that feeds a web (cathode web),  
comprising a cathode layered structure, at a first speed;

a rotary cutting station that receives the cathode web from  
the first feed station and rotatably cuts the cathode web, moving at the  
first speed, into a series of cathode sheets;

a second feed station that feeds an electrolyte web at a  
second speed greater than or equal to the first speed;

a first rotary lamination station that receives the electrolyte  
web and the cathode web, the first rotary lamination station rotatably  
laminating each of the cathode sheets moving at the first speed with the  
electrolyte web moving at the second speed to produce a first laminate  
structure having a space between adjacent cathode sheets;

a third feed station that feeds a web (third web) of a  
material; and

a second rotary lamination station that receives the third  
web and the first laminate structure, the second rotary lamination station  
rotatably laminating the third web with the first laminate structure such  
that the cathode sheets are disposed between the electrolyte web and  
the third web.

71. The apparatus of claim 70, wherein the material of the third  
web comprises an electrical insulator.

72. The apparatus of claim 70, wherein the material of the third  
web comprises a solid electrolyte.

73. The apparatus of claim 70, wherein the space between adjacent cathode sheets is a function of the first speed of cathode web movement relative to the second speed of the electrolyte web.

5 74. The apparatus of claim 70, wherein each of the cathode sheets is defined by a length and the rotary cutting station comprises a rotary die, the length of each cathode sheet being a function of the first speed of cathode web movement relative to the second speed of the rotary die.

10 75. The apparatus of claim 70, wherein the rotary cutting station comprises a rotary die, the rotary die comprising at least one rotary die blade separated by a circumferential blade spacing (D), further wherein the space (S) between adjacent cathode sheets is a function of  
15 the first speed (W1) of cathode web movement relative to the circumferential die blade spacing (D) and the second speed (W2) of the rotary die.

20 76. The apparatus of claim 75, wherein the space (S) between adjacent cathode sheets is characterized by an equation  $S = D((W2/W1) - 1)$ .

25 77. The apparatus of claim 70, wherein the space between adjacent cathode sheets ranges between about 0.015 inches and about 0.4 inches.

30 78. The apparatus of claim 70, wherein the cathode web comprises a plurality of down-web directed rows of the cathode layered structure, and the rotary cutting station cuts the cathode web in a cross-web direction to produce a matrix of the cathode sheets.

79. The apparatus of claim 78, wherein a space between adjacent rows of the cathode layered structure ranges between 0 inches and about 0.63 inches.

5 80. An apparatus for producing a series of thin-film electrochemical cell structures, comprising:

a first feed station that feeds a half-cell web at a first speed, the half-cell web comprising a cathode sheet layer comprising a series of spaced cathode sheets disposed between a solid electrolyte layer and a  
10 third layer, the solid electrolyte and third layers respectively extending across gaps defined between the spaced cathode sheets;

a second feed station that feeds a web (lithium web) of lithium material;

a rotary lamination station that receives the half-cell web and lithium web, the first rotary lamination station rotatably laminating the half-cell web with the lithium web to produce a unit cell structure; and  
15

a cutting station that receives the unit cell structure, the cutting station cutting through the unit cell structure at respective locations in alignment with the gaps defined between the spaced cathode sheets to produce a cut unit cell structure.  
20

81. The apparatus of claim 80, wherein the cutting station comprises a rotary die that rotatably cuts through the unit cell structure at the respective locations in alignment with the gaps defined between the spaced cathode sheets.  
25

82. The apparatus of claim 80, wherein the electrolyte web comprises a carrier web, further wherein the cutting station cuts through the respective lithium, third, and electrolyte webs comprises rotatably cutting through the respective lithium, third, and electrolyte webs but does not cut entirely through the carrier web.  
30

83. The apparatus of claim 80, wherein the space between adjacent cathode sheets ranges between about 0.015 inches and about 0.4 inches.

5           84. The apparatus of claim 80, wherein the cathode web comprises a plurality of down-web directed rows of the cathode layered structure, and the rotary cutting station cuts the cathode web in a cross-web direction to produce a matrix of the cathode sheets.

10           85. The apparatus of claim 84, wherein a space between adjacent rows of the cathode layered structure ranges between 0 inches and about 0.63 inches.

11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100  
101  
102  
103  
104  
105  
106  
107  
108  
109  
110  
111  
112  
113  
114  
115  
116  
117  
118  
119  
120  
121  
122  
123  
124  
125  
126  
127  
128  
129  
130  
131  
132  
133  
134  
135  
136  
137  
138  
139  
140  
141  
142  
143  
144  
145  
146  
147  
148  
149  
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
161  
162  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174  
175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185  
186  
187  
188  
189  
190  
191  
192  
193  
194  
195  
196  
197  
198  
199  
200  
201  
202  
203  
204  
205  
206  
207  
208  
209  
210  
211  
212  
213  
214  
215  
216  
217  
218  
219  
220  
221  
222  
223  
224  
225  
226  
227  
228  
229  
230  
231  
232  
233  
234  
235  
236  
237  
238  
239  
240  
241  
242  
243  
244  
245  
246  
247  
248  
249  
250  
251  
252  
253  
254  
255  
256  
257  
258  
259  
260  
261  
262  
263  
264  
265  
266  
267  
268  
269  
270  
271  
272  
273  
274  
275  
276  
277  
278  
279  
280  
281  
282  
283  
284  
285  
286  
287  
288  
289  
290  
291  
292  
293  
294  
295  
296  
297  
298  
299  
300  
301  
302  
303  
304  
305  
306  
307  
308  
309  
310  
311  
312  
313  
314  
315  
316  
317  
318  
319  
320  
321  
322  
323  
324  
325  
326  
327  
328  
329  
330  
331  
332  
333  
334  
335  
336  
337  
338  
339  
340  
341  
342  
343  
344  
345  
346  
347  
348  
349  
350  
351  
352  
353  
354  
355  
356  
357  
358  
359  
360  
361  
362  
363  
364  
365  
366  
367  
368  
369  
370  
371  
372  
373  
374  
375  
376  
377  
378  
379  
380  
381  
382  
383  
384  
385  
386  
387  
388  
389  
390  
391  
392  
393  
394  
395  
396  
397  
398  
399  
400  
401  
402  
403  
404  
405  
406  
407  
408  
409  
410  
411  
412  
413  
414  
415  
416  
417  
418  
419  
420  
421  
422  
423  
424  
425  
426  
427  
428  
429  
430  
431  
432  
433  
434  
435  
436  
437  
438  
439  
440  
441  
442  
443  
444  
445  
446  
447  
448  
449  
450  
451  
452  
453  
454  
455  
456  
457  
458  
459  
460  
461  
462  
463  
464  
465  
466  
467  
468  
469  
470  
471  
472  
473  
474  
475  
476  
477  
478  
479  
480  
481  
482  
483  
484  
485  
486  
487  
488  
489  
490  
491  
492  
493  
494  
495  
496  
497  
498  
499  
500  
501  
502  
503  
504  
505  
506  
507  
508  
509  
510  
511  
512  
513  
514  
515  
516  
517  
518  
519  
520  
521  
522  
523  
524  
525  
526  
527  
528  
529  
530  
531  
532  
533  
534  
535  
536  
537  
538  
539  
540  
541  
542  
543  
544  
545  
546  
547  
548  
549  
550  
551  
552  
553  
554  
555  
556  
557  
558  
559  
560  
561  
562  
563  
564  
565  
566  
567  
568  
569  
570  
571  
572  
573  
574  
575  
576  
577  
578  
579  
580  
581  
582  
583  
584  
585  
586  
587  
588  
589  
590  
591  
592  
593  
594  
595  
596  
597  
598  
599  
600  
601  
602  
603  
604  
605  
606  
607  
608  
609  
610  
611  
612  
613  
614  
615  
616  
617  
618  
619  
620  
621  
622  
623  
624  
625  
626  
627  
628  
629  
630  
631  
632  
633  
634  
635  
636  
637  
638  
639  
640  
641  
642  
643  
644  
645  
646  
647  
648  
649  
650  
651  
652  
653  
654  
655  
656  
657  
658  
659  
660  
661  
662  
663  
664  
665  
666  
667  
668  
669  
670  
671  
672  
673  
674  
675  
676  
677  
678  
679  
680  
681  
682  
683  
684  
685  
686  
687  
688  
689  
690  
691  
692  
693  
694  
695  
696  
697  
698  
699  
700  
701  
702  
703  
704  
705  
706  
707  
708  
709  
710  
711  
712  
713  
714  
715  
716  
717  
718  
719  
720  
721  
722  
723  
724  
725  
726  
727  
728  
729  
730  
731  
732  
733  
734  
735  
736  
737  
738  
739  
740  
741  
742  
743  
744  
745  
746  
747  
748  
749  
750  
751  
752  
753  
754  
755  
756  
757  
758  
759  
760  
761  
762  
763  
764  
765  
766  
767  
768  
769  
770  
771  
772  
773  
774  
775  
776  
777  
778  
779  
780  
781  
782  
783  
784  
785  
786  
787  
788  
789  
790  
791  
792  
793  
794  
795  
796  
797  
798  
799  
800  
801  
802  
803  
804  
805  
806  
807  
808  
809  
810  
811  
812  
813  
814  
815  
816  
817  
818  
819  
820  
821  
822  
823  
824  
825  
826  
827  
828  
829  
830  
831  
832  
833  
834  
835  
836  
837  
838  
839  
840  
841  
842  
843  
844  
845  
846  
847  
848  
849  
850  
851  
852  
853  
854  
855  
856  
857  
858  
859  
860  
861  
862  
863  
864  
865  
866  
867  
868  
869  
870  
871  
872  
873  
874  
875  
876  
877  
878  
879  
880  
881  
882  
883  
884  
885  
886  
887  
888  
889  
890  
891  
892  
893  
894  
895  
896  
897  
898  
899  
900  
901  
902  
903  
904  
905  
906  
907  
908  
909  
910  
911  
912  
913  
914  
915  
916  
917  
918  
919  
920  
921  
922  
923  
924  
925  
926  
927  
928  
929  
930  
931  
932  
933  
934  
935  
936  
937  
938  
939  
940  
941  
942  
943  
944  
945  
946  
947  
948  
949  
950  
951  
952  
953  
954  
955  
956  
957  
958  
959  
960  
961  
962  
963  
964  
965  
966  
967  
968  
969  
970  
971  
972  
973  
974  
975  
976  
977  
978  
979  
980  
981  
982  
983  
984  
985  
986  
987  
988  
989  
990  
991  
992  
993  
994  
995  
996  
997  
998  
999  
1000